

L Number	Hits	Search Text	DB	Time stamp
61	10998	bridge\$1 with (transceiver\$1 or transmitter\$1 or receiver\$1 or buffer\$3 or driver\$1 or tristat\$3 or tri adj stat\$3 or high adj imped?nce)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/12 07:33
62	600	(bridge\$1 with (transceiver\$1 or transmitter\$1 or receiver\$1 or buffer\$3 or driver\$1 or tristat\$3 or tri adj stat\$3 or high adj imped?nce)) with (enabl\$5 or disabl\$5 or activat\$5 or deactivat\$5 or assert\$3 or deassert\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/12 07:32
63	142	((bridge\$1 with (transceiver\$1 or transmitter\$1 or receiver\$1 or buffer\$3 or driver\$1 or tristat\$3 or tri adj stat\$3 or high adj imped?nce)) with (enabl\$5 or disabl\$5 or activat\$5 or deactivat\$5 or assert\$3 or deassert\$3)) and 710.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/12 07:31
64	134	((((bridge\$1 with (transceiver\$1 or transmitter\$1 or receiver\$1 or buffer\$3 or driver\$1 or tristat\$3 or tri adj stat\$3 or high adj imped?nce)) with (enabl\$5 or disabl\$5 or activat\$5 or deactivat\$5 or assert\$3 or deassert\$3)) and 710.clas.) and (@ad<20010308 or @pd<20010308 or @rlad<20010308 or @prad<20010308 or @ptld<20010308)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/12 07:34
65	146273	(enabl\$5 or disabl\$5 or activat\$5 or deactivat\$5 or assert\$3 or deassert\$3) near6 (driver\$1 or transmitter\$1 or receiver\$1 or transceiver\$1 or tristat\$3 or tri adj stat\$3 or high adj imped?nce or gat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/12 07:33
66	18150	bridge\$1 with (transceiver\$1 or transmitter\$1 or receiver\$1 or buffer\$3 or driver\$1 or tristat\$3 or tri adj stat\$3 or high adj imped?nce or gat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/12 07:34
67	755	((enabl\$5 or disabl\$5 or activat\$5 or deactivat\$5 or assert\$3 or deassert\$3) near6 (driver\$1 or transmitter\$1 or receiver\$1 or transceiver\$1 or tristat\$3 or tri adj stat\$3 or high adj imped?nce or gat\$3)) same (bridge\$1 with (transceiver\$1 or transmitter\$1 or receiver\$1 or buffer\$3 or driver\$1 or tristat\$3 or tri adj stat\$3 or high adj imped?nce or gat\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/12 07:34
68	86	((((enabl\$5 or disabl\$5 or activat\$5 or deactivat\$5 or assert\$3 or deassert\$3) near6 (driver\$1 or transmitter\$1 or receiver\$1 or transceiver\$1 or tristat\$3 or tri adj stat\$3 or high adj imped?nce or gat\$3)) same (bridge\$1 with (transceiver\$1 or transmitter\$1 or receiver\$1 or buffer\$3 or driver\$1 or tristat\$3 or tri adj stat\$3 or high adj imped?nce or gat\$3))) and 710.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/12 07:34

69	78	(((((enabl\$5 or disabl\$5 or activat\$5 or deactivat\$5 or assert\$3 or deassert\$3) near6 (driver\$1 or transmitter\$1 or receiver\$1 or transceiver\$1 or tristat\$3 or tri adj stat\$3 or high adj imped?nce or gat\$3)) same (bridge\$1 with (transceiver\$1 or transmitter\$1 or receiver\$1 or buffer\$3 or driver\$1 or tristat\$3 or tri adj stat\$3 or high adj imped?nce or gat\$3))) and 710.clas.) and (@ad<20010308 or @pd<20010308 or @rlad<20010308 or @prad<20010308 or @pt1d<20010308)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/12 07:53
70	73	((enabl\$5 or disabl\$5 or activat\$5 or deactivat\$5 or assert\$3 or deassert\$3) near6 (driver\$1 or transmitter\$1 or receiver\$1 or transceiver\$1 or tristat\$3 or tri adj stat\$3 or high adj imped?nce or gat\$3)) same bridge\$1 same (concurr\$3 or simultaneous\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/12 07:53
71	73	(((((enabl\$5 or disabl\$5 or activat\$5 or deactivat\$5 or assert\$3 or deassert\$3) near6 (driver\$1 or transmitter\$1 or receiver\$1 or transceiver\$1 or tristat\$3 or tri adj stat\$3 or high adj imped?nce or gat\$3)) same bridge\$1 same (concurr\$3 or simultaneous\$2)) and (@ad<20010308 or @pd<20010308 or @rlad<20010308 or @prad<20010308 or @pt1d<20010308)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/12 07:57
72	4	(((((enabl\$5 or disabl\$5 or activat\$5 or deactivat\$5 or assert\$3 or deassert\$3) near6 (driver\$1 or transmitter\$1 or receiver\$1 or transceiver\$1 or tristat\$3 or tri adj stat\$3 or high adj imped?nce or gat\$3)) same bridge\$1 same (concurr\$3 or simultaneous\$2)) and (@ad<20010308 or @pd<20010308 or @rlad<20010308 or @prad<20010308 or @pt1d<20010308)) and 710.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/12 07:56
73	34	(((((enabl\$5 or disabl\$5 or activat\$5 or deactivat\$5 or assert\$3 or deassert\$3) near6 (driver\$1 or transmitter\$1 or receiver\$1 or transceiver\$1 or tristat\$3 or tri adj stat\$3 or high adj imped?nce or gat\$3)) same bridge\$1 same (concurr\$3 or simultaneous\$2)) same (first or primary or second\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/12 07:56
74	34	(((((enabl\$5 or disabl\$5 or activat\$5 or deactivat\$5 or assert\$3 or deassert\$3) near6 (driver\$1 or transmitter\$1 or receiver\$1 or transceiver\$1 or tristat\$3 or tri adj stat\$3 or high adj imped?nce or gat\$3)) same bridge\$1 same (concurr\$3 or simultaneous\$2)) same (first or primary or second\$3)) and (@ad<20010308 or @pd<20010308 or @rlad<20010308 or @prad<20010308 or @pt1d<20010308)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/12 08:13

75	2	((((enabl\$5 or disabl\$5 or activat\$5 or deactivat\$5 or assert\$3 or deassert\$3) near6 (driver\$1 or transmitter\$1 or receiver\$1 or transceiver\$1 or tristat\$3 or tri adj stat\$3 or high adj imped?nce or gat\$3)) same bridge\$1 same (concurrent\$3 or simultaneous\$2)) same (first or primary or second\$3)) and (@ad<20010308 or @pd<20010308 or @rlad<20010308 or @prad<20010308 or @pt1d<20010308)) and 710.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/12 07:57
76	8875	(bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3) or bridge\$1 or biu\$1 or bic\$1) with (arbiter\$1 or arbitrat\$4 or priorit\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/12 08:13
77	244	((bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3) or bridge\$1 or biu\$1 or bic\$1) with (arbiter\$1 or arbitrat\$4 or priorit\$7)) same ((enabl\$5 or disabl\$5 or activat\$5 or deactivat\$5 or assert\$3 or deassert\$3) near6 (driver\$1 or transmitter\$1 or receiver\$1 or transceiver\$1 or tristat\$3 or tri adj stat\$3 or high adj imped?nce or gat\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/12 08:12
78	0	(((bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3) or bridge\$1 or biu\$1 or bic\$1) with (arbiter\$1 or arbitrat\$4 or priorit\$7)) same ((enabl\$5 or disabl\$5 or activat\$5 or deactivat\$5 or assert\$3 or deassert\$3) near6 (driver\$1 or transmitter\$1 or receiver\$1 or transceiver\$1 or tristat\$3 or tri adj stat\$3 or high adj imped?nce or gat\$3)))) same 710.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/12 08:12
79	114	(((bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3) or bridge\$1 or biu\$1 or bic\$1) with (arbiter\$1 or arbitrat\$4 or priorit\$7)) same ((enabl\$5 or disabl\$5 or activat\$5 or deactivat\$5 or assert\$3 or deassert\$3) near6 (driver\$1 or transmitter\$1 or receiver\$1 or transceiver\$1 or tristat\$3 or tri adj stat\$3 or high adj imped?nce or gat\$3)))) and 710.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/12 08:12
80	72929	(bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3) or bridge\$1 or biu\$1 or bic\$1) with (first or primary or second\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/12 08:13

81	169	(((bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3) or bridge\$1 or biu\$1 or bic\$1) with (arbiter\$1 or arbitrat\$4 or priorit\$7)) same ((enabl\$5 or disabl\$5 or activat\$5 or deactivat\$5 or assert\$3 or deassert\$3) near6 (driver\$1 or transmitter\$1 or receiver\$1 or transceiver\$1 or tristat\$3 or tri adj stat\$3 or high adj imped?nce or gat\$3))) and ((bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3) or bridge\$1 or biu\$1 or bic\$1) with (first or primary or second\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/12 08:13
82	94	(((bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3) or bridge\$1 or biu\$1 or bic\$1) with (arbiter\$1 or arbitrat\$4 or priorit\$7)) same ((enabl\$5 or disabl\$5 or activat\$5 or deactivat\$5 or assert\$3 or deassert\$3) near6 (driver\$1 or transmitter\$1 or receiver\$1 or transceiver\$1 or tristat\$3 or tri adj stat\$3 or high adj imped?nce or gat\$3))) and ((bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3) or bridge\$1 or biu\$1 or bic\$1) with (first or primary or second\$3))) and 710.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/12 08:13
83	92	((((bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3) or bridge\$1 or biu\$1 or bic\$1) with (arbiter\$1 or arbitrat\$4 or priorit\$7)) same ((enabl\$5 or disabl\$5 or activat\$5 or deactivat\$5 or assert\$3 or deassert\$3) near6 (driver\$1 or transmitter\$1 or receiver\$1 or transceiver\$1 or tristat\$3 or tri adj stat\$3 or high adj imped?nce or gat\$3))) and ((bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3) or bridge\$1 or biu\$1 or bic\$1) with (first or primary or second\$3))) and 710.clas.) and (@ad<20010308 or @pd<20010308 or @rlad<20010308 or @prad<20010308 or @ptld<20010308)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/12 08:14

84	91	((((((bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3) or bridge\$1 or biu\$1 or bic\$1) with (arbiter\$1 or arbitrat\$4 or priorit\$7)) same ((enabl\$5 or disabl\$5 or activat\$5 or deactivat\$5 or assert\$3 or deassert\$3) near6 (driver\$1 or transmitter\$1 or receiver\$1 or transceiver\$1 or tristat\$3 or tri adj stat\$3 or high adj imped?nce or gat\$3))) and ((bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3) or bridge\$1 or biu\$1 or bic\$1) with (first or primary or second\$3))) and 710.clas.) and (@ad<20010308 or @pd<20010308 or @rlad<20010308 or @prad<20010308 or @pt1d<20010308)) not (((((enabl\$5 or disabl\$5 or activat\$5 or deactivat\$5 or assert\$3 or deassert\$3) near6 (driver\$1 or transmitter\$1 or receiver\$1 or transceiver\$1 or tristat\$3 or tri adj stat\$3 or high adj imped?nce or gat\$3)) same bridge\$1 same (concurren\$3 or simultaneous\$2)) same (first or primary or second\$3)) and (@ad<20010308 or @pd<20010308 or @rlad<20010308 or @prad<20010308 or @pt1d<20010308))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/12 08:14
-	113851	bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 09:37
-	485166	(bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3)) or bridge\$1 or biu\$1 or bic\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 09:30
-	11850	((bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3)) or bridge\$1 or biu\$1 or bic\$1) with (tristate or tri adj state or high adj imped?nce or driver\$1 or fet\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 09:32
-	24419	((bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3)) or bridge\$1 or biu\$1 or bic\$1) with (tristate or tri adj state or high adj imped?nce or driver\$1 or fet\$1 or buffer\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 09:32
-	67191	(enabl\$5 or disabl\$5 or activat\$5 or deactivat\$5 or assert\$5 or deassert\$5) near6 (tristate or tri adj state or high adj imped?nce or driver\$1 or fet\$1 or buffer\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 09:33

-	2381	(((bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3)) or bridge\$1 or biu\$1 or bic\$1) with (tristate or tri adj state or high adj imped?nce or driver\$1 or fet\$1 or buffer\$1)) same ((enabl\$5 or disabl\$5 or activat\$5 or deactivat\$5 or assert\$5 or deassert\$5) near6 (tristate or tri adj state or high adj imped?nce or driver\$1 or fet\$1 or buffer\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 09:33
-	3221962	first with second	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 09:36
-	1995	(((bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3)) or bridge\$1 or biu\$1 or bic\$1) with (tristate or tri adj state or high adj imped?nce or driver\$1 or fet\$1 or buffer\$1)) same ((enabl\$5 or disabl\$5 or activat\$5 or deactivat\$5 or assert\$5 or deassert\$5) near6 (tristate or tri adj state or high adj imped?nce or driver\$1 or fet\$1 or buffer\$1))) and (first with second)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 09:36
-	36150	first with second with (bus or buses or busses)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 09:48
-	1038	(((bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3)) or bridge\$1 or biu\$1 or bic\$1) with (tristate or tri adj state or high adj imped?nce or driver\$1 or fet\$1 or buffer\$1)) same ((enabl\$5 or disabl\$5 or activat\$5 or deactivat\$5 or assert\$5 or deassert\$5) near6 (tristate or tri adj state or high adj imped?nce or driver\$1 or fet\$1 or buffer\$1))) and (first with second with (bus or buses or busses))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 09:37
-	673	(((bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3)) or bridge\$1 or biu\$1 or bic\$1) with (tristate or tri adj state or high adj imped?nce or driver\$1 or fet\$1 or buffer\$1)) same ((enabl\$5 or disabl\$5 or activat\$5 or deactivat\$5 or assert\$5 or deassert\$5) near6 (tristate or tri adj state or high adj imped?nce or driver\$1 or fet\$1 or buffer\$1))) and 710.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 09:37
-	8860	((bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3)) or bridge\$1 or biu\$1 or bic\$1) with (arbiter\$1 or arbitrat\$4 or priorit\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 13:37

-	623	(((bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3)) or bridge\$1 or biu\$1 or bic\$1) with (tristate or tri adj state or high adj imped?nce or driver\$1 or fet\$1 or buffer\$1)) same ((enabl\$5 or disabl\$5 or activat\$5 or deactivat\$5 or assert\$5 or deassert\$5) near6 (tristate or tri adj state or high adj imped?nce or driver\$1 or fet\$1 or buffer\$1))) and (((bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3)) or bridge\$1 or biu\$1 or bic\$1) with (arbiter\$1 or arbitrat\$4 or priorit\$7)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 09:38
-	334	((((bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3)) or bridge\$1 or biu\$1 or bic\$1) with (tristate or tri adj state or high adj imped?nce or driver\$1 or fet\$1 or buffer\$1)) same ((enabl\$5 or disabl\$5 or activat\$5 or deactivat\$5 or assert\$5 or deassert\$5) near6 (tristate or tri adj state or high adj imped?nce or driver\$1 or fet\$1 or buffer\$1))) and (((bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3)) or bridge\$1 or biu\$1 or bic\$1) with (arbiter\$1 or arbitrat\$4 or priorit\$7))) and 710.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 09:38
-	256	((((bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3)) or bridge\$1 or biu\$1 or bic\$1) with (tristate or tri adj state or high adj imped?nce or driver\$1 or fet\$1 or buffer\$1)) same ((enabl\$5 or disabl\$5 or activat\$5 or deactivat\$5 or assert\$5 or deassert\$5) near6 (tristate or tri adj state or high adj imped?nce or driver\$1 or fet\$1 or buffer\$1))) and (((bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3)) or bridge\$1 or biu\$1 or bic\$1) with (arbiter\$1 or arbitrat\$4 or priorit\$7))) and 710.clas.) and (first with second with (bus or buses or busses))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 09:39
-	251	((((bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3)) or bridge\$1 or biu\$1 or bic\$1) with (tristate or tri adj state or high adj imped?nce or driver\$1 or fet\$1 or buffer\$1)) same ((enabl\$5 or disabl\$5 or activat\$5 or deactivat\$5 or assert\$5 or deassert\$5) near6 (tristate or tri adj state or high adj imped?nce or driver\$1 or fet\$1 or buffer\$1))) and (((bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3)) or bridge\$1 or biu\$1 or bic\$1) with (arbiter\$1 or arbitrat\$4 or priorit\$7))) and 710.clas.) and (first with second with (bus or buses or busses))) and (@ad<20010308 or @pd<20010308 or @rlad<20010308 or @prad<20010308 or @pt1d<20010308)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 11:00

-	3605	(first with second with (bus or buses or busses)) with (concurrent\$3 or simultaneous\$2 or "same" adj2 time or independent\$3 or separate\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 09:49
-	40	(((((((bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3)) or bridge\$1 or biu\$1 or bic\$1) with (tristate or tri adj state or high adj imped?nce or driver\$1 or fet\$1 or buffer\$1)) same ((enabl\$5 or disabl\$5 or activat\$5 or deactivat\$5 or assert\$5 or deassert\$5) near6 (tristate or tri adj state or high adj imped?nce or driver\$1 or fet\$1 or buffer\$1))) and (((bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3)) or bridge\$1 or biu\$1 or bic\$1) with (arbiter\$1 or arbitrat\$4 or priorit\$7))) and 710.clas.) and (first with second with (bus or buses or busses))) and (@ad<20010308 or @pd<20010308 or @rlad<20010308 or @prad<20010308 or @pt1d<20010308)) and ((first with second with (bus or buses or busses)) with (concurrent\$3 or simultaneous\$2 or "same" adj2 time or independent\$3 or separate\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/12 08:11
-	949	(((bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3)) or bridge\$1 or biu\$1 or bic\$1) with (arbiter\$1 or arbitrat\$4 or priorit\$7)) same (simultaneous\$2 or concurrent\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 10:48
-	421	(((bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3)) or bridge\$1 or biu\$1 or bic\$1) with (arbiter\$1 or arbitrat\$4 or priorit\$7)) same (simultaneous\$2 or concurrent\$3)) and 710.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 10:59
-	120	(((bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3)) or bridge\$1 or biu\$1 or bic\$1) with (arbiter\$1 or arbitrat\$4 or priorit\$7)) same (simultaneous\$2 or concurrent\$3)) same (first or primary) same second\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 12:49
-	64	(((((((bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3)) or bridge\$1 or biu\$1 or bic\$1) with (arbiter\$1 or arbitrat\$4 or priorit\$7)) same (simultaneous\$2 or concurrent\$3)) same (first or primary) same second\$3) and 710.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 11:00
-	64	(((((((bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3)) or bridge\$1 or biu\$1 or bic\$1) with (arbiter\$1 or arbitrat\$4 or priorit\$7)) same (simultaneous\$2 or concurrent\$3)) same (first or primary) same second\$3) and 710.clas.) and (@ad<20010308 or @pd<20010308 or @rlad<20010308 or @prad<20010308 or @pt1d<20010308)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 12:49
-	3	("5396602" "5517650" "5546546").PN.	USPAT	2003/09/10 12:31

-	47	5619661.URPN.	USPAT	2003/09/10 12:33
-	8139	((bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3)) or bridge\$1 or biu\$1 or bic\$1) with (concurr\$3 or simultaneous\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 13:36
-	942	((((bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3)) or bridge\$1 or biu\$1 or bic\$1) with (concurr\$3 or simultaneous\$2)) and 710.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 12:49
-	910	(((((bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3)) or bridge\$1 or biu\$1 or bic\$1) with (concurr\$3 or simultaneous\$2)) and 710.clas.) and (@ad<20010308 or @pd<20010308 or @rlad<20010308 or @prad<20010308 or @pt1d<20010308)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 12:49
-	1234	((((bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3)) or bridge\$1 or biu\$1 or bic\$1) with (concurr\$3 or simultaneous\$2)) same (first or primary) same second\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 13:36
-	208	(((((bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3)) or bridge\$1 or biu\$1 or bic\$1) with (concurr\$3 or simultaneous\$2)) same (first or primary) same second\$3) and 710.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 13:37
-	197	((((((bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3)) or bridge\$1 or biu\$1 or bic\$1) with (concurr\$3 or simultaneous\$2)) same (first or primary) same second\$3) and 710.clas.) and (@ad<20010308 or @pd<20010308 or @rlad<20010308 or @prad<20010308 or @pt1d<20010308)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 13:37
-	89	((((((bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3)) or bridge\$1 or biu\$1 or bic\$1) with (concurr\$3 or simultaneous\$2)) same (first or primary) same second\$3) and 710.clas.) and (@ad<20010308 or @pd<20010308 or @rlad<20010308 or @prad<20010308 or @pt1d<20010308)) and 710/3??ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 13:17

-	66	((((((bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3)) or bridge\$1 or biu\$1 or bic\$1) with (concurr\$3 or simultaneous\$2)) same (first or primary) same second\$3) and 710.clas.) and (@ad<20010308 or @pd<20010308 or @rlad<20010308 or @prad<20010308 or @pt1d<20010308)) and 710/3??ccls.) not ((((((bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3)) or bridge\$1 or biu\$1 or bic\$1) with (arbiter\$1 or arbitrat\$4 or priorit\$7)) same (simultaneous\$2 or concurr\$3)) same (first or primary) same second\$3) and 710.clas.) and (@ad<20010308 or @pd<20010308 or @rlad<20010308 or @prad<20010308 or @pt1d<20010308))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 13:38
-	19317	((bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3)) or bridge\$1 or biu\$1 or bic\$1) same (concurr\$3 or simultaneous\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 13:36
-	2994	(((bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3)) or bridge\$1 or biu\$1 or bic\$1) same (concurr\$3 or simultaneous\$2)) same (first or primary) same second\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 13:37
-	397	(((bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3)) or bridge\$1 or biu\$1 or bic\$1) same (concurr\$3 or simultaneous\$2)) same (first or primary) same second\$3) and 710.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 13:38
-	379	((((bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3)) or bridge\$1 or biu\$1 or bic\$1) same (concurr\$3 or simultaneous\$2)) same (first or primary) same second\$3) and 710.clas.) and (@ad<20010308 or @pd<20010308 or @rlad<20010308 or @prad<20010308 or @pt1d<20010308)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 13:38
-	284	((((((bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3)) or bridge\$1 or biu\$1 or bic\$1) same (concurr\$3 or simultaneous\$2)) same (first or primary) same second\$3) and 710.clas.) and (@ad<20010308 or @pd<20010308 or @rlad<20010308 or @prad<20010308 or @pt1d<20010308)) and (arbiter\$1 or arbitrat\$4 or priorit\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 13:38
-	216	(((bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3)) or bridg-\$1 or biu\$1 or bic\$1) same (concurr\$3 or simultaneous\$2)) same (first or primary) same second\$3) same (arbiter\$1 or arbitrat\$4 or priorit\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 13:38

-	100	((((bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3)) or bridge\$1 or biu\$1 or bic\$1) same (concurrent\$3 or simultaneous\$2)) same (first or primary) same second\$3) same (arbiter\$1 or arbitrat\$4 or priorit\$7)) and 710.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 13:38
-	98	((((bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3)) or bridge\$1 or biu\$1 or bic\$1) same (concurrent\$3 or simultaneous\$2)) same (first or primary) same second\$3) same (arbiter\$1 or arbitrat\$4 or priorit\$7)) and 710.clas.) and (@ad<20010308 or @pd<20010308 or @rlad<20010308 or @prad<20010308 or @pt1d<20010308)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 13:38
-	0	(((((((bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3)) or bridge\$1 or biu\$1 or bic\$1) with (concurrent\$3 or simultaneous\$2)) same (first or primary) same second\$3) and 710.clas.) and (@ad<20010308 or @pd<20010308 or @rlad<20010308 or @prad<20010308 or @pt1d<20010308)) and 710/3??ccls.) not (((((((bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3)) or bridge\$1 or biu\$1 or bic\$1) with (arbiter\$1 or arbitrat\$4 or priorit\$7)) same (simultaneous\$2 or concurrent\$3)) same (first or primary) same second\$3) and 710.clas.) and (@ad<20010308 or @pd<20010308 or @rlad<20010308 or @prad<20010308 or @pt1d<20010308)) or (((((((bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3)) or bridge\$1 or biu\$1 or bic\$1) with (concurrent\$3 or simultaneous\$2)) same (first or primary) same second\$3) and 710.clas.) and (@ad<20010308 or @pd<20010308 or @rlad<20010308 or @prad<20010308 or @pt1d<20010308)) and 710/3??ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 13:40

-	31	(((((((bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3)) or bridge\$1 or biu\$1 or bic\$1) same (concurrent\$3 or simultaneous\$2)) same (first or primary) same second\$3) same (arbiter\$1 or arbitrat\$4 or priorit\$7)) and 710.clas.) and (@ad<20010308 or @pd<20010308 or @rlad<20010308 or @prad<20010308 or @pt1d<20010308)) not (((((((bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3)) or bridge\$1 or biu\$1 or bic\$1) with (arbiter\$1 or arbitrat\$4 or priorit\$7)) same (simultaneous\$2 or concurrent\$3)) same (first or primary) same second\$3) and 710.clas.) and (@ad<20010308 or @pd<20010308 or @rlad<20010308 or @prad<20010308 or @pt1d<20010308)) or (((((((bus near3 (interfac\$3 or control or controll?r\$1 or controls or controlling or controlled or adapt\$3)) or bridge\$1 or biu\$1 or bic\$1) with (concurrent\$3 or simultaneous\$2)) same (first or primary) same second\$3) and 710.clas.) and (@ad<20010308 or @pd<20010308 or @rlad<20010308 or @prad<20010308 or @pt1d<20010308)) and 710/3??ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 12:27
-	915	bridge\$1 with dma\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 13:14
-	389	(bridge\$1 with dma\$2) and 710.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 12:27
-	182	(bridge\$1 with dma\$2) and 710/3??ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 12:27
-	176	((bridge\$1 with dma\$2) and 710/3??ccls.) and (@ad<20010308 or @pd<20010308 or @rlad<20010308 or @prad<20010308 or @pt1d<20010308)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 13:03
-	76	(bridge\$1 with dma\$2) with (external\$2 or outside or separat\$3 or apart)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 13:03
-	46	((bridge\$1 with dma\$2) with (external\$2 or outside or separat\$3 or apart)) and 710.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 13:03

-	42	(((bridge\$1 with dma\$2) with (external\$2 or outside or separat\$3 or apart)) and 710.clas.) and (@ad<20010308 or @pd<20010308 or @rlad<20010308 or @prad<20010308 or @pt1d<20010308)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 13:15
-	25	(((bridge\$1 with dma\$2) with (external\$2 or outside or separat\$3 or apart)) and 710.clas.) not (((bridge\$1 with dma\$2) and 710/3???.cls.) and (@ad<20010308 or @pd<20010308 or @rlad<20010308 or @prad<20010308 or @pt1d<20010308))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 13:10
-	21	(((bridge\$1 with dma\$2) with (external\$2 or outside or separat\$3 or apart)) and 710.clas.) not (((bridge\$1 with dma\$2) with (external\$2 or outside or separat\$3 or apart)) and 710.clas.) not (((bridge\$1 with dma\$2) and 710/3???.cls.) and (@ad<20010308 or @pd<20010308 or @rlad<20010308 or @prad<20010308 or @pt1d<20010308)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 13:10
-	121	(bridge\$1 with dma\$2) with integrat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 13:15
-	20892	((bridge\$1 with dma\$2) with integrat\$3) adn 710.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 13:15
-	38	((bridge\$1 with dma\$2) with integrat\$3) and 710.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 13:15
-	37	(((bridge\$1 with dma\$2) with integrat\$3) and 710.clas.) and (@ad<20010308 or @pd<20010308 or @rlad<20010308 or @prad<20010308 or @pt1d<20010308)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/12 07:27